This chapter summarizes the study findings, traffic impacts and benefits associated with the proposed North-South Expressway between Shreveport and the Arkansas State Line.

Study Findings

The important findings of this traffic analysis are summarized as follows:

- Construction of the proposed North-South Expressway between Shreveport and Kansas City, Missouri will result in a continuous north-south freeway route through the central United States between the Gulf of Mexico and Canada;
- The proposed North-South Expressway is designated by the Intermodal Surface Transportation Efficiency Act (ISTEA) as a "High Priority Corridor" on the National Highway System (NHS);
- The corridor study area, which is located in north Caddo Parish between Interstate 220
 in Shreveport and the Arkansas State Line, is primarily rural and has a population of
 approximately 30,000 persons;
- Access to the study area is currently provided by U.S. 71, several state highways, and a limited number of city and parish streets. Interstate 220, which forms the southern boundary of the study area, is the only freeway in the study area. The north-south highways of U.S. 71, LA 1, and LA 3 are the only arterials, with the remaining study area roadways being collector streets;
- There are no north-south freeways located within or near the corridor study area. Interstate 35 in Texas and Interstate 55 in Mississippi are the closest north-south freeways in the west and east, respectively, and are separated by a distance of approximately 500 miles;
- Existing traffic volumes on area north-south arterials at the Arkansas State Line are approximately 2,500 vehicles per day (vpd) on LA 1; 3,000 vpd on U.S. 71; and, 2,500 vpd on LA 3. Traffic volumes increase on these highways as they continue to the south toward Shreveport, with U.S. 71/LA 1 experiencing 32,000 vpd and LA 3 experiencing 11,200 vpd north of Interstate 220;
- Most of the study area roadways currently operate at acceptable levels-of-service (LOS)
 A, B or C. LA 1 between LA 169 and LA 538 operates at LOS D, and U.S. 71/LA 1 between LA 3194 and Interstate 220 operates at unacceptable LOS E;
- Year 2005 (estimated project completion) traffic volumes on the proposed North-South Expressway are projected to range from approximately 5,800 vehicles per day (vpd) at the Arkansas State Line to 26,800 vpd north of Interstate 220 and 36,900 vpd south of Interstate 220.

- Year 2020 (design year) traffic volumes on the proposed North-South Expressway are
 projected to range from approximately 10,400 vehicles per day (vpd) at the Arkansas
 State Line to 37,600 vpd north of Interstate 220 and 56,400 vpd south of Interstate 220;
- Several area highways are projected to experience congestion and unacceptable levels-of-service (LOS) D, E, or F by Year 2020 <u>without</u> the proposed North-South Expressway. Such facilities include LA1, U.S.71, LA3, LA173, LA538, and LA2.
- The proposed North-South Expressway will eliminate or alleviate many of the projected future capacity deficiencies and result in improved traffic service on area highways; and,
- Compared to the "no-build" condition, the North-South Expressway will significantly improve levels-of-service, travel time and total vehicle delays on the area highway system.

Benefits of Proposed Highway

The proposed North-South Expressway should result in significant benefits at the local, regional and national level. Construction of the North-South Expressway could create the following transportation and economic related benefits:

- Provide northwest Louisiana with a more efficient, higher speed and potentially safer transportation facility that would better serve existing and future travel demands than existing area highways;
- Improve traffic access to existing and future communities, employment centers, recreational and tourist areas, agricultural land uses and other developments in the area;
- Improve traffic flow on existing highways in the area (such as LA 1, U.S. 71 and LA 3) by diverting some heavy vehicles and though traffic to the proposed North-South Expressway;
- Complement and provide better access to the existing Interstate Highway System and eliminate the 500-mile gap between IH-35 in Texas and IH-55 in Mississippi;
- Serve as part of a trade corridor linking the United States with Mexico and Canada;
- Assist in serving increased truck traffic anticipated with the North American Free Trade Agreement (NAFTA);
- Strengthen the overall transportation system in the area and throughout the region by enhancing the movement and distribution of freight and goods, and improving access to existing rail service, airports, waterways and ports;
- Stimulate economic development in the region by reducing travel time and transportation costs and making the area more accessible;

- Attract longer distance multi-state travel by diverting traffic to the North-South Expressway and inducing additional travellers and tourists to the region; and,
- Result in increased property values and land development opportunities.

Conclusions

This traffic analysis was conducted by Wilbur Smith Associates as part of the North-South Expressway Corridor Study, which was undertaken for the Louisiana Department of Transportation and Development (LaDOTD) by the Consultant Team lead by Demopulos and Ferguson. Following the completion of the North-South Expressway Corridor Study, LaDOTD will perform a detailed Line and Grade/Draft Environmental Impact Statement (DEIS) to determine the preferred highway alignment, specific design requirements, and environmental impacts of the proposed North-South Expressway. The findings of this traffic study should be considered in the future planning and design of this important transportation improvement in the northwest region of Louisiana.

Appendix A

48-Hour Mechanical Traffic Counts

APPENDIX A FHWA VEHICLE TYPES

The vehicle types of interest to FHWA are described below. The classification scheme is separated into categories depending on whether the vehicle carries passengers or commodities. Nonpassenger vehicles are further subdivided by number of axles and number of units including both power and trailer units.

FHWA Vehicle Classes with Definitions

Type Name and Description

- Motorcycles (Optional) All two- or three-wheeled motorized vehicles. Typical vehicles in this category have saddle type seats and are steered by handle bars rather that wheels. This category includes motorcycles, motor scooters, mopeds, motor-powered bicycles, and three-wheel motorcycles. This vehicle type may be reported at the option of the State.
- Passenger Cars All sedans, coupes, and station wagons manufactured primarily for the purpose of carrying passengers and including those passenger cars pulling recreational or other light trailers.
- 3. Other Two-Axle, Four-Tire Single Unit Vehicles All two-axle, four-tire vehicles, other than passenger cars. Included in this classification are pickups, panel, vans, and other vehicles such as campers, motor homes, ambulances, hearses, and carryalls. Other two-axle, four-tire single unit vehicles pulling recreational or other light trailers are included in this classification.
- Buses All vehicles manufactured as traditional passenger-carrying buses with two axles and six tires or three or more axles. This

category includes only traditional buses (including school buses) functioning as passenger-carrying vehicles. Modified buses should be considered as trucks and be appropriately classified.

NOTE: In reporting information on trucks the following criteria should be used:

- Truck tractor units traveling without a trailer will be considered single unit trucks.
- b. A truck tractor unit pulling other such units in a "saddle mount" configuration will be considered as one single unit truck and will be defined only by the axles on the pulling unit.
- Vehicles shall be defined by the number of axles in contact with the roadway.
 Therefore, "floating" axles are counted only when in the down position.
- d. The term "trailer" includes both semi- and full trailers.
- Two-Axle, Six-Tire, Single Unit Trucks All vehicles on a single frame, including trucks, camping and recreational vehicles, motor homes, etc., having two axles and dual rear wheels.
- Three-Axle Single Unit Trucks All vehicles on a single frame, including trucks, camping and recreational vehicles, motor homes, etc., having three axles.
- Four- or More Axle Single Unit Trucks All trucks on a single frame with four or more axles.
- Four- or Less Axle Single Trailer Trucks –
 All vehicles with four or less axles consisting of
 two units, one of which is a tractor or straight
 truck power unit.

- Five-Axle Single Trailer Trucks All
 five-axle vehicles consisting of two units, one of
 which is a tractor or straight truck power unit.
- Six- or More Axle Single Trailer Trucks All
 vehicles with six or more axles consisting of two
 units, one of which is a tractor or straight truck
 power unit.
- Five- or Less Axle Multitrailer Trucks All vehicles with five or less axles consisting of three or more units, one of which is a tractor or straight truck power unit.

- 12. Six-Axle Multitrailer Trucks All six-axle vehicles consisting of three or more units, one of which is a tractor or straight truck power unit.
- 13. Seven- or More Axle Multitrailer Trucks
 All vehicles with seven or more axles
 consisting of three or more units, one of
 which is a tractor or straight truck power
 unit.

APPENDIX A
SUMMARY OF 48-HOUR MECHANICAL TRAFFIC COUNTS
North-South Expressway Corridor Study
Shreveport to Arkansas State Line

LOCATION 1. LA 1 (S of Ark/TX State Line) 2. US 71 (S of Ark State Line) 3. LA 3 (1.5 miles N of LA 537) 4. LA 2 (3.0 miles E of LA 170)	DIRECTION Northbound Southbound TOTAL Northbound TOTAL Northbound TOTAL Northbound Southbound TOTAL Northbound TOTAL TOTAL TOTAL TOTAL TOTAL	17 17 17 17 17 17 17 17 17 17 17 17 17 1	F2 1338 1800 3138 2463 1745 4208 992 1016 2008 1123 1203	TRAFFIC VOLUME F3 F4 F5 594 4 86 425 35 91 1019 39 177 187 3 32 350 4 102 537 7 134 499 10 111 350 11 83 849 21 194 372 3 57 360 6 41 732 9 98	Eport to Pool 10	2 Arkar 177 177 102 134 111 111 194 194 98	SAFFIC VOLUME COUNT BY F3 F4 F5 F6 F7	1 - 1 - 1 1 1	(EHIC)	LE CL E9 240 240 440 461 784 801 779 93 93 93	NEHICLE CLASSIFICATION F8 F9 F10 F11 F1 32 200 31 4 28 240 10 3 60 440 41 7 31 461 20 13 35 323 6 5 66 784 26 18 31 801 35 35 43 779 25 16 74 1580 60 51 17 49 7 4 32 142 9 4	12 11 12 13 15 16 16 16 16 16 16 16 16 16 16 16 16 16	ON C C C C C C C C C C C C C C C C C C C		TOTAL 48-HOUR TRAFFIC VOLUME 2350 2726 5076 3313 2646 5959 2555 2363 4918 1677 1745
LA 2 (4.0 miles E of US 71) LA 530 (4.0 miles E of LA 538)	Eastbound Westbound TOTAL Eastbound Westbound TOTAL	13 13 0 2	846 688 1534 374 482 856	306 282 588 588 155 240 395	8 - 0 2 - 8	81 77 158 41 44 85	26 47 73 6 21 27	404000	1 1	252 313 565 66 4 4	34 20 54 1	2 2 2 3 3	-0-000	-00-	1595 1478 3073 597 799 1396
7. LA 538 (2.3 miles S of LA 169) 8. LA 1 (1.3 miles N of LA 173)	Northbound Southbound TOTAL Northbound Southbound TOTAL	0 3 0 19 19	426 611 1037 5172 5387 10559	112 97 209 1674 1347 3021	-0-044	13 8 21 222 169 391	12 40 52 31 31 111	12 0 0 22 22		35 14 49 127 222 349	1 4 4 7 20 20	8 8 8 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	000000	15 7 8 3 2 - 15	626 786 1412 7304 7349 14653
9. LA 173 (1.5 miles N of LA 1) 10. US 71 (1.5 miles S of LA 173)	Northbound Southbound TOTAL Northbound Southbound TOTAL	13 6 19	241 223 464 2927 2571 5498	96 72 168 849 667 1516	0 0 0 15 15 35	28 20 48 176 135 311	4 2 6 83 35 118	0 0 0 7 7 7 7		10 4 448 452 900	4 0 4 61 28 89	1 27 27 15 42	37-000	0 0 0 44 19 5	389 325 714 4698 4016 8714

APPENDIX A (Continued)
SUMMARY OF 48-HOUR MECHANICAL TRAFFIC COUNTS
North-South Expressway Corridor Study
Shreveport to Arkansas State Line

TOTAL

48-HOUR	VOLUME	10839	11005	21844	16935	16334	33269	29799	37860	67659	4999	4956	9955	639	866	1505	10133	12267	22400	28776	28407	57183	10182	11180	21362	31664	31025	62689	26411	22627	49038
48	F13 VC	7	14	21	6	28	37		,	ı	-	0	-	0	0	0	32	က	35	25	72	97	7	4	_			1		1	
Z	F12	7	80	15	0	8	7	1	1		0	0	0	0	0	0	10	က	13	34	43	77	က	-	4	,		1		ı	ı
:ICATI	H	54	58	112	æ	33	41		ı	,	-	-	7	0	2	7	28	15	43	201	196	397	က	16	19	1		1	1	1	,
ASSI	F10	20	51	71	2	39	44	,	ı	1	2	_	က	0	7	7	55	18	73	122	292	414	14	16	30		1			1	
VEHICLE CLASSIFICATION	62	839	774	1613	308	399	707	1	1	•	12	ဝ	21	₹	9	7	903	460	1363	2591	2181	4772	82	68	150	,	ı	t		•	ı
VEHIC	<u>F</u>	67	77	144	121	169	290	-	ı	1	43	16	59	4	12	16	102	93		380			69	34	103	1	ı	1		•	
NT BY	H	21	თ	30	25	25	20	ı	1		0	₹	_	0	_	_	12	0	12	11	33	44	9	7	13	,		4	1	t	1
TRAFFIC VOLUME COUNT BY	F6	127	171	298	146	115	261	•	•	t	51	51	102	20	17	37	107	17	124	330	212	602	69	99	135		,		,		•
LUME	앒	364	319	683	348	326	674	١	1		118	119	237	32	28	63	239	422	661	973	906	1879	121	90	211	ı	,	1		•	1
	F	16	16	32	15	29	44	1	1	ı	5	12	17	0		_	18	13	31	64	52	116	5	10	15	,	ı	1	ı	ı	,
TRAF	띱	1697	1687	3384	2706	2979	5685		,	,	1008	1067	2075	143	167	310	1380	3022	4402	5749	4991	10740	1261	1087	2348	,	ı	-	ı	,	١
	F2	7603	7800	15403	13226	12157	25383	1	•	•	3747	3671	7418	435	627	1062	7236	8194	15430	18185	19027	37212	8542	9774	18316	ı	1	•	ı	•	,
	FI	17	21	38	18	33	21	,	r	1	11	∞	19		က	4	Ξ	7	18	51	64	115	0	7	7	t	t	1		1	,
	DIRECTION	Northbound	Southbound	TOTAL	Northbound	Southbound	TOTAL	Northbound		TOTAL	Northbound	Southbound	TOTAL	Northbound	Southbound	TOTAL	Northbound		TOTAL	Northbound	Southbound	TOTAL	Northbound		TOTAL	Northbound	Southbound	TOTAL	Northbound	Southbound	TOTAL
	LOCATION	11. LA 3	(3.2 miles S of LA 162)	THE PARTY OF THE P	12. LA 173	(N of IH 220 Interchange)		13. US 71/LA 1	(N of IH 220 Interchange)		14. LA 538	(N of IH 220 & S of MLK)		15. LA 3049	(N of IH 220 Interchange) Southbound		16. LA 3	(N of IH 220 Interchange)		17. IH 220	(S of LA 173 Interchange) Southbound		18. LA 173	(S of IH 220 Interchange)		19. US 71/LA 1.	(S of IH 220 Interchange) Southbound	TOTAL	20. LA 3	(S of IH 220 Interchange) Southbound	

SOURCE: Traffic counts conducted for this study on a typical weekday during June and July 1994.

registered Louisiana North-South Expressway Louisiana Department of Transportation and Development State Regist. State where vehicle Use 1H 220? 1 - yes 1 - yes 1 - yes 1 - yes Did you use Loop 220 in Shrave-2 - 110 port on this trip? 2 - no 'n ო Trip Purpose Recreation (Specify) 4. Shopping 3. Vacation/ 1. To/From Work 2. Business Ŋ 5. Other N . (Obtain address if within study area) Where will this trip end? DESTINATION Address -Address Address Address State -State -State -State -. Gil≯ City -City -City . (Obtain address if within study area) Where did this trip begin? ORIGIN Address Address Address. Address State -State -State -City. City -City -State Ç Highway Location: Number of people in vehicle (Including driver) Vehicle Оссир. Interviewer: V (4. 1. Date: 4 Axles 3 Axle Total 4 Axle 5 Axle 6 Axle 2 Axle 7 Axle 9 6 9 ထ ო 8 က ę Šisc. 2. N n N ď 7 Trailer N Type 0. None 2. Two 1. One ئۇنىد دەر 20 0 0 0 0 6. Motorcycle 7. Ped /Bicycle 4 4 1. Pass, Car 2. Pass,Truck 3. Pass, Bus 4. Sm. Heavy 5, Lg. Heavy Truck Vehicle Class () () () · (%) e ო ო ന Truck 9 φ ω 14.84 17.84 φ Station I.D. Number: N ~ ß ß ın LΩ Serial Number: Interview Time of

VEHICLE CLASSIFICATION TABLE

Louisiana North-South Expressway Study

Louisiana Department of Transportation and Development

VEHICLE CLASSIFICATION	VEHICLE DESCRIPTION
PASSENGER CARS	Those vehicles primarily intended for carrying passengers; also passenger cars with trailers. e.g. Sedans, coupes, mini-vans, station wagons, and small sport utility vehicles.
PASSENGER TRUCKS	Most larger 2-axle, 4-tire passenger trucks and vans; also similair vehicles with recreational or other light-duty trailers. e.g Pickups, panel trucks, vans, suburbans, hearses, step vans, delivery trucks, and small motorhomes.
PASSENGER BUSES	Those vehicles manufactured as passenger-carrying buses. e.g. Transit buses, school buses, commercial buses, private bus.
SMALL HEAVY TRUCKS	All vehicles having 2-axles and dual rear wheels (6 tires), and similair vehicles with recreational or light-duty trailers. e.g. Various trucks, campers, motorhomes, ambulances and tow trucks.
LARGE HEAVY TRUCKS	All large, heavy vehicles having 3 or more axles; also various types of farm equipment. e.g. Large trucks, truck-trailer combinations, large motorhomes, and farm tractors.
MOTORCYCLES	Small 2 or 3-wheeled motorized vehicles steered by handle bars. e.g. Motorcycles, scooters, and mopeds.
BICYCLES / NONMOTORIZED VEHICLES	All types of 2, 3, or 4 wheeled non-motorized vehicels. e.g. Bicyles.

Louisiana North-South Expressway Louisiana Department of Transportation and Development

June 7, 1994		TOTALS		23	74	88	76	78	76	4	89	95	-67	100	78	RES
June				0	0	0	0	0	0	0	0	0	0	0	-	-
ırvey:		Bicycles &	Nonmotorize d Vehicles													
Date of Survey:		Motorcycles		0	+-	9	0	-	-	0	0	0	0	0	0	0,
			Multi-Trailer		0	0	•	0	0	0	0	0	0	O	0	2
	N COUNTS	Large Heavy Trucks	One Trailer	7	19	26	26	21	18	8	23	28	24	31	16	247
. NB	CLASSIFICATION COUNTS		No Trailer	0	0	0	0	0	0	0	0	0	0	0	0	0
Direction:	MANUAL C	Small	Heavy Truck (2-Axle/6- Tire)	J	3	4	10	က	9	4	14	2	0	6	3	8
)ealing		Passenger	Buses	0	1	0	0	0	0	0	0	0	0	0	0	
LA 3, North of Plain Dealing		Passenger	Trucks	9	24	23	20	22	22	15	17	30	23	16	21	239
		Passenger	Cars	8	26	29	. 19	31	32	14	14	35	20	44	38	310
Station Location:		TIME	PERIOD	7:00-8:00	8:00-9:00	9:00-10:00	19:00-11:00	11:00-12:00	12:00-13:00	13:00-14:00	14:00-15:00	15:00-16:00	20:23-07000	17:00-18:00	18:00-19:00	TOTALS

Louisiana North-South Expressway Louisiana Department of Transportation and Development

June 7, 1994		TOTALS		38	20	69	74	83	29	52	83	. 82	89	85	56	807
		Bicycles &	Nonmotorize d Vehicles	0	0	0	٥	0	0	0	0	0	0	0	0	0
Date of Survey:		Motorcycles		0	0	0		-	٥	0	0	O	0	0	0	2
			Multi-Trailer	0	0	0	0	0	0	0	0	0	0	0	0	0 10 10 10 10 10 10 10 10 10 10 10 10 10
	N COUNTS	Large Heavy Trucks	One Trailer	13	15	18	22	22	16	<u></u>	19	17	16	23	14	206
SB	CLASSIFICATION COUNTS		No Traller	0	0	0	0	0	0	0	0	0	0	٥	0	0
Direction:	MANUAL C	Small	Heavy Truck (2-Axle/6- Tire)	3	2	5		7	Ω	က	ß	2	S	12	В	58
aling		Passenger	Buses	0	0	0	0	0	0	0	0	0	О	0	O	0
LA 3, Northof Plain Dealing		Passenger	Trucks	7	11	-	22	17	21	14	56	¥	22	15	13	213
			Cars	15	22	35	28	36	25	24	33	53	25	35	21	328
Station Location:		TIME	PERIOD	7:30-8:00	8:00-9:00	9:00-10:00	10:00-11:00	11:00-12:00	12:00-13:00	13:00-14:00	14:00-15:00	15:00-16:00	16:00-17:00	17:00-18:00	18:00-19:00	TOTALS

Louisiana Department of Transportation and Development

June 8, 1994		TOTALS		110	127	127	144	153	93	167	93	152	173	204	162	1673
		Bicycles &	Nonmotorize d Vehicles	0	0	0	O	0	0	0	0	0	0	0	0	0
Date of Survey:		Motorcycles		0	0	0	•	0	0	-	0	0	0	-	O	3
			Multi-Trailer		-	0	0	0	0	0	0	0	0	0	0	12
	N COUNTS	Large Heavy Trucks	One Trailer	0	14	14	29	28	13	22	6	25	17	24	17	212
NB	CLASSIFICATION COUNTS		No Trailer	0	0	0	0	2	0	0	0	0	0	0	0	2
Direction:	MANUAL C	Small	Heavy Truck (2-Axle/6- Tire)	1	-	10	12	13	4	မွ	S	24	9	21	7	120
/eport		Passenger	Buses	0		0	0	0	0	٥	0	0	0	0	0	
US 71, North of Shreveport		Passenger	Тпскѕ	51	46	35	22	49	37	88	19	95	9	78	64	614
	Anna anna anna anna anna anna anna anna	Passenger	Cars	47	54	69	52	19	39	70	99	47	89	80	74	741
Station Location:		TIME	PERIOD	7:00-8:00	8:00-9:00	9:00-10:00	10:00-11:00	11:00-12:00	12:00-13:00	13:00-14:00	14:00-15:00	15:00-16:00	16:00-17:00	17:00-18:00	18:00-19:00	TOTALS

. Louisiana Department of Transportation and Development

June 8, 1994		TOTALS		168	94	92	116	118	152	135	165	128	81	94	83	1426
		Bicycles &	Nonmotorize d Vehicles	0	0	0	0	0	0	0	0	0	0	0	.0	0
Date of Survey:		Motorcycles		0	0	0	0	0	0	0	0	0	0	-	•	6
A CONTRACTOR OF THE PROPERTY O			Multi-Trailer	O	0	0	0	0	0	0	0	0	0	0	0	
	N COUNTS	Large Heavy Trucks	One Trailer	14	15	10	10	5	23	8	38	29	18	11	13	81C 31 S THE
SB	MANUAL CLASSIFICATION COUNTS		No Trailer	0	0	0	-		0	0	0	0	0	-	0	
Direction:	MANUAL C	Small	Heavy Truck (2-Axle/6- Tire)	11	7	7	S.	14	15	14	1,	15	4	ហ	7	
/eport		Passenger	Buses	0	-	0	0	0	0	0	0		2	0	0	4
US 71, North of Shreveport		Passenger	Trucks	69	28	21	48	47	52	34	47	36	22	32	27	462
		Passenger	Cars	75	43	72	52	46	65	25	63	47	35	4	38	619
Station Location:		TIME	PERIOD	7:00-8:00	8:00-9:00	9:00-10:00	10:00-11:00	11:00-12:00	12:00-13:00	13:00-14:00	14:00-15:00	15:00-16:00	16:00-17:00	17:00-18:00	18:00-19:00	TOTALS

Louisiana Department of Transportation and Development

June 9.	1
Date of Survey:	
SB	
Direction:	
report.	
LA 1, North Shrev	
Station Location:	

74		S		151	149	147	<u> </u>	20	162	139	214	241	285	465	342	2659
June 9, 1994		TOTALS														
Jul		. 88	orize cles	0	0	0	0	0	0	٥	0	0	0	0	0	0
urvey:		Bicycle	Nonmotorize d Vehicles													
Date of Survey:		Motorcycles		1	0	1	0	0		0	0	0	-	-	0	5
		8	Multi-Trailer	0	0	o	0	0	0	0	0	0	0	0	0	0
	N COUNTS	Large Heavy Trucks	One Trailer	3	15	80	7	12	18	10	12	7	6	12	3	116
NB	MANUAL CLASSIFICATION COUNTS		No Trailer	0	0	0	0	0	0	0	0	0	0	0	0	0 0000
Direction:	MANUAL C	Small	Heavy Truck (2-Axle/6- Tire)	8	3	14	7	9	-	14	0	4		12	9	76
T.		Passenger	Buses	0	2	-	0	0	-	0	0	0	0	0	0	4
LA 1, North Shreveport		Passenger	Trucks	65	72	99	83	92	29	55	94	119	118	201	184	1211
		Passenger	Cars	74	57	57	99	91	79	09	108	111	156	239	149	1247
Station Location:		TIME	PERIOD	7:00-8:00	8:00-9:00	9:00-10:00	10:00-11:00	11:00-12:00	12:00-13:00	13:00-14:00	14:00-15:00	15:00-16:00	16:00-17:00	17:00-18:00	18:00-19:00	TOTALS

Louisiana Department of Transportation and Development

June 9, 1994		TOTALS		355	220	163	201	157	203	171	182	178	171	217	185	2408
Ju		** V	torize icles	0	0	0	0	0	0	0	0	0	0	0	0	0
игуеу:	·	Ricvol	Nonmotorize d Vehicles		-											
Date of Survey:		Motorcycles		0	0	0	0	_	0	0	0	0	0	0	0	
			Multi-Traller	0	0	0	0	0	0	0	0	0	0	0	,	
	N COUNTS	Large Heavy Trucks	One Trailer	5	4	14	Ö.	0	5	12	9	9	5	9	12	94
SB	CLASSIFICATION COUNTS		No Trailer	0	0	0	0	0	0	0	0	0	0	0	-	↓
Direction:	MANUAL C	Small	Heavy Truck (2-Axle/6- Tire)	S	5	14	9	5	6	12	10	7	9	10	6	86
port		Passenger	Buses	-	0	0	0	0	0	0	0	0	0	0	0	-
LA 1, North of Shreveport		Passenger	Trucks	164	93	59	73	65	93	99	87	83	85	86	79	1046
		Passenger	Cars	180	118	75	113	98	96	87	79	82	75	102	83	1176
Station Location:		TIME	PERIOD	7:00-8:00	8:00-9:00	9:00-10:00	10:00-11:00	11:00-12:00	12:00-13:00	13:00-14:00	14:00-15:00	15:00-16:00	16:00-17:00	17:00-18:00	18:00-19:00	TOTALS

Appendix Item 2

Plan/Profile of Alternative Alignments Corridor Study North-South Expressway I-220 to Arkansas State Line